

RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

Endo- vs. exogenous shocks and relaxation rates in book and music "sales"

Lambiotte, R.; Ausloos, M.

Published in:

Physica A: Statistical Mechanics and its Applications

DOI:

[10.1016/j.physa.2005.08.047](https://doi.org/10.1016/j.physa.2005.08.047)

Publication date:

2006

Document Version

Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (HARVARD):

Lambiotte, R & Ausloos, M 2006, 'Endo- vs. exogenous shocks and relaxation rates in book and music "sales"', *Physica A: Statistical Mechanics and its Applications*, vol. 362, no. 2, pp. 485-494.
<https://doi.org/10.1016/j.physa.2005.08.047>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Endo- vs. exogenous shocks and relaxation rates in book and music “sales”

R. Lambiotte*, M. Ausloos

SUPRATECS, Université de Liège, B5 Sart-Tilman, B-4000 Liège, Belgium

Received 9 May 2005; received in revised form 8 July 2005

Available online 15 September 2005

Abstract

In this paper, we analyse the response of music and book sales to an external field and a buyer herding. We distinguish endogenous and exogenous shocks. We focus on some case studies, whose data have been collected from ranking on amazon.com. We show that an ensemble of equivalent systems quantitatively respond in a same way to a similar “external shock”, indicating roads to universality features. In contrast to Sornette et al. [Phys. Rev. Lett. 93 (2004) 228701] who seemed to find power-law behaviours, in particular at long times, a law interpreted in terms of an epidemic activity, we observe that the relaxation process can be as well seen as an exponential one that saturates toward an asymptotic state, itself different from the pre-shock state. By studying an ensemble of 111 shocks, on books or records, we show that exogenous and endogenous shocks are discriminated by their *short-time* behaviour: the relaxation time seems to be twice shorter in endogenous shocks than in exogenous ones. We interpret the finding through a simple thermodynamic model with a dissipative force.

© 2005 Elsevier B.V. All rights reserved.

Keywords: Granular models of complex systems; Random walks and Lévy flights; Self-organized systems

1. Introduction

The fluctuation–dissipation theorem is a corner stone of Statistical Mechanics [1,2]. Indeed, it allows one to quantitatively relate two classes of dynamical features of macroscopic systems, namely, fluctuation phenomena which are stochastic deviations from some equilibrium state and the dissipative response of the system to an external field. In out-of-equilibrium situations, however, such relations are not usually applicable a priori, even though they may be generalized in some particular cases [3,4]. A revival of studies has been recently seen on this theorem, associated to features of shocks in sociological and economical networks [5]. Indeed, these systems are not usually considered to be mechanistic in essence, when driven by deterministic Hamiltonian-like equations. They are not at equilibrium in the classical sense, and are usually subject to outliers, like bubbles and crashes, in financial markets [6], the emergence of trends in sales and weblogs [7], or epidemia and avalanches in opinion formation [8] and science. Generally, these critical events may be caused

*Corresponding author.

E-mail addresses: renaud.lambiotte@ulg.ac.be (R. Lambiotte), marcel.ausloos@ulg.ac.be (M. Ausloos).

by two kinds of mechanisms. On the one hand, there is the response to some external field. In this case, one speaks of an exogenous shock. On the other hand, there is the spontaneous evolution of the system through a hierarchy of avalanches of all sizes. These extreme events are considered to be endogenous, as it has been formalized by the theory of self-organized criticality (SOC) [9]. In most non-physical systems, it is not easy to distinguish these two kinds of features since systems are usually driven by an interplay of the two mechanisms.

In the instance hereby considered, i.e., the case of marketing, sales of a product are usually driven by a reputation cascade as well as advertisements for the product. For example, in book sales dynamics, some books reach their peak abruptly, followed by decreasing sales, while others reach their top rankings after a longer time on the market, followed by gradually falling sales. Sornette et al. [10] introduced an epidemic-like model containing a long memory process for the buyers, characterized by an exponent $\theta \in [0, 1/2]$. Endogenous shocks were shown to be formed by a slow increase of the sales, followed by a symmetric relaxation, i.e., the formation and the relaxation process behave like $|t_c + t|^{2\theta-1}$, where $t = 0$ corresponds to the peak maximum and t_c is an additional (not interpreted) positive parameter. In contrast, an exogenous shock occurs abruptly and the sales decay faster, like $(t_c + t)^{\theta-1}$. This prediction agrees with the intuition that an endogenous shock finds its origin in the structure of the buyers network and should have a longer lifetime than a shock which has been imposed by an external cause to the system. By measuring relaxations of a large number of endogenous and exogenous shocks, Sornette et al. found an average value of the exponent $\theta \sim 0.3 \pm 0.1$. However, the values of t_c , i.e., the short-time behaviour of the relaxation, are not considered.

Nevertheless, despite these pioneering results, many fundamental questions remain open in order to fulfil the original purpose of these studies, namely a generalization of the linear-response theory to marketing and sociological systems. In this respect, let us point to Groot's [11] studies of sales data in a commodity market from the point of view of the fluctuation spectrum and noise correlations.

After some caveat on the methodology inherent to such a type of study and a visual discrimination between an “endogenous” and an “exogenous” shock on a case study in Section 2, the present paper focuses on two important issues. On the one hand, we verify a required condition for the applicability of a macroscopic description, namely, we check the *reproducibility* of the “experiment”, both in music sales and on book sales in Section 3. This is done through two case studies. Thereby, we study the relaxation of equivalent systems to an external shock. On the other hand, we revisit the study of Sornette et al. [10] and focus on the short-time scale after a sales maximum (~ 1 month). On this time scale, most of the systems show rather an exponential relaxation that was hidden by the parameter t_c , and not a power-law decay. Moreover, we question whether the observed long-time power-law relaxations are not in fact associated to a saturation effect in Section 4. Finally in Section 5, we study the relaxations of a “large ensemble” of shocks, characterized by their relaxation time t_R , and highlight a quantitative difference between exogenous and endogenous shocks, when in the short time range. The values of the relaxation rates allow one to discriminate rapidly between endo- and exogenous shocks. A theoretical model based on simple thermodynamics taking into account a dissipative force has two easily measurable parameters given by the initial and asymptotic ranking states. The relaxation time has a much more precise meaning than t_c .

2. Methodology

Amazon (www.amazon.com) is the largest online store selling many goods, such as electronic devices, books, or music albums. Among its descriptions of the product, the website assigns a rank which takes into account the number of copies that have been sold in the past. The reverse translation of this rank into the number of sold copies is not an easy task. However, as discussed in Ref. [10] one may approximate this relation by the power-law $S \sim R^{-1/2}$, where S is the number of sold items and R is its rank in the Amazon database. Some warning is needed at once. The method for providing a rank to an item is officially the following. For the top 10 000 bestsellers from amazon.com sales, the rank is updated each hour and takes into account the sales of the preceding 24 h. The next 90 000 ranks are updated daily, while the rest of the items are updated monthly with several different rules. In order to avoid such changes in the rank assignment method, and therefore artificial consequences on the time evolution of R , we restrict our analysis to items that remain in the [1 : 100000] interval.




Fig. 1. Total number of scans as a function of time for the music album *XO* of Elliott Smith. The dashed line corresponds to a fixed rate of 1 scan, 3 scans and 8 scans per day. In the inset, we plot a zoom of this curve in an interval of 9 days in February 2002.

In order to get the time evolution of R over a long time range, we have used data collected by junglescan (www.junglescan.com). This website allows the users to enter a product's URL, and scans its rank R from the amazon website in the course of time. The time evolution of the rank is then stored and accessible. One should note, however, that the scanning rate is not a constant. This is illustrated in Fig. 1 for a typical case, where we plot the total number of scans for some music album, the *XO* of Elliott Smith, as a function of time. It is shown not only that the average scanning rate has evolved in the course of time, 1/day, 3/day, 8/day, but also that drastic local time interval changes may occur, as illustrated in the inset. Moreover, *due to technical problems in the junglescan server*, most of the scans that we have elaborated have been stopped at the beginning of November 2004.

Let us now focus on a case study, namely *Angels and Demons* by Dan Brown. It has been first published on July 2001 and has been scanned from October 1, 2002 to November 4, 2004. In Fig. 2, one observes that, before March 2003, *Angels and Demons* was not under the spotlight and that its rank remained near the 30 000 rank. In March 2003, there is a qualitative change obviously associated with the publication and fame of *The Da Vinci Code*, which makes the former book jump in the top 100 after a few days. This example shows the strong correlations between two book sales, namely *The Da Vinci Code* and *Angels and Demons*, abrupt changes in the book sales associated to what can be considered an *exogenous* shock around April 10, 2003, and an *endogenous* shock in September 2003.

3. Experiment reproducibility

A first requirement in order to apply a fluctuation–dissipation theorem to sales is the existence of a well-defined macroscopic friction process in the system. It implies that an ensemble of equivalent systems should evolve according to that macroscopic law when they are put outside the stationary state. Of course, it is not easy to produce such a controlled experiment in the case of sales. Nevertheless, we should verify this preliminary property through a detailed analysis of statistically appropriate cases.

3.1. Music sales

In order to do so, we consider the sales of three albums of Elliott Smith: *Figure 8* (2000), *XO* (1998) and *Either/Or* (1998) (Fig. 3). On October 22, 2003, this young folk music writer died from an apparent suicide.




Fig. 2. Time evolution of the amazon.com rank of *Angels and Demons*, written by Dan Brown. In the inset, we zoom on the ranking during April 2003. Around September 2003, there has been a slowly evolving bubble in book sales—associated to an endogenous shock.

The next day, in response to this unexpected focus around his personality, all of his albums underwent an abrupt jump of their sales that relaxed over a few weeks. This is a perfect example of exogenous shock, whose accidental source moreover allows to get rid of any marketing strategy. One should also note, as illustrated in Fig. 3, that the event produced a very localized stream in the media, on the day of his death and the next one. This allows one to affirm that the slow relaxation process of the sales obviously finds its origin in the sales dynamics itself.

Let us stress that this (external) shock makes the system reach a stationary state different from the pre-shock state. In the case of *Either/Or*, for instance, the pre-shock state fluctuates around rank 1800. The shock makes the rank jump to 17, followed by a relaxation of some weeks to an asymptotic state around rank 500. This behaviour is similar to most other cases that we have studied, namely an exponential relaxation for short times that saturates to an asymptotic value, i.e., the post-shock state. We discuss this issue further in the remainder of this section.

The three album signals obviously differ from each other (Fig. 3). This is well seen in the pre-shock regime where each album average rank ranges between 1800 and 8000. A rescaling would account for emphasizing the qualitative differences between the albums. Assuming a constant in time scaling factor, the average pre-shock values become almost equal, thus indicating universality features. Therefore, we observe that the three data collapse on each other, and that the short time rank relaxation behaves like $e^{-\lambda t}$, with a relaxation coefficient $\lambda = 0.18$. This means that the three equivalent systems respond in the same way to the studied external shock.

3.2. Book sales

Another way to verify the reproducibility of an experiment is to consider the response of one system to several “equivalent” shocks. To do so, we have considered the rank of *Get with program*, written by B. Greene, and focused of the jumps due to his frequent passages at the Oprah Winfrey Show, between January 2002 and July 2003 (see Fig. 4). The rank relaxations of the first four shocks are plotted in Fig. 5, under (a) log–normal and (b) log–log scale. Data analysis leads to the same conclusion as in the previous (music sales) example, namely an initial exponential relaxation followed by saturation, and confirms that book and music sales are similar macroscopic phenomena, with respect to shocks.

4. Short- and long-time behaviours

The above results suggest one to question the universality of the power-law, and to emphasize the short time scale behaviour relaxation, i.e., to draw a parallel between the relaxation coefficient λ and a dissipative force.




Fig. 3. (a) Time evolution of the rank of three albums of Elliott Smith. The dark squares correspond to the number of newspapers citing the artist, extracted from www.highbeam.com; (b) evolution of the rescaled ranks of the albums in (a) around the exogenous shock. The dashed horizontal lines are guides to the eye for the pre-shock, shock, and post-shock ranks.

Moreover, since Sornette et al. [10] found relaxation processes of book sales governed by power laws $(t_c + t)^{\mu}$, it is of interest to compare this power-law behaviour to the exponential one found in the previous section. Notice that these authors focused their analysis on the long-time behaviour. However, there was neither a detailed analysis of the short time scale of the relaxation in their work, nor a clear explanation of the parameter t_c . The case studies in the previous section suggest that the short-time relaxation processes are rather exponential. In the following, we present a simple alternative description of the relaxation that accounts for the short-time dissipation, as well as for the asymptotic saturation leading to the asymptotic state.

First, let us assume that the sales can be related to the rank through the relation $S = R^{-\gamma}$, $\gamma = \frac{1}{2}$. Let us stress that the exact value of this exponent is not critical, and that this value was chosen only in order to allow comparisons with the results of Sornette et al. Then, we assume that the response of the sales to a shock is an




Fig. 4. Time evolution of the ranks of *Get with the program* by B. Greene.

exponential decrease toward an asymptotic state different of zero. The non-vanishing asymptotic state is, in the thermodynamic sense, due to the continuous agitation of the buyers; agitation that encompasses internal dynamics due to buyer interactions and small external kicks. The simplest form is

$$S = S_{\infty} + (S_0 - S_{\infty})e^{-(\lambda/2)t} \quad (1)$$

that leads to the following expression for the item rank:

$$R = (R_{\infty}^{-1/2} + (R_0^{-1/2} - R_{\infty}^{-1/2})e^{-(\lambda/2)t})^{-2}. \quad (2)$$

This expression reduces to $R \sim R_0 e^{\lambda t}$ in the small time limit. Therefore, this description has the advantage to depend directly on observable quantities, namely the friction coefficient λ , and both initial and asymptotic values of the ranks.

In Figs. 5 and 6, we apply this fitting procedure to an exogenous (*Get with the program*) and an endogenous (*Heaven and Earth* by N. Roberts) shock. Moreover, we compare the results with the power-law fits $(t_c + t)^{\mu}$ of Sornette et al. In the first case (Fig. 5), the fitted parameters of Eq. (2) are $R_{\infty} = 1200$, $R_0 = 6$, and $\lambda = 0.16$, and the power-law fit is $0.07(6 + t)^{2.2}$. In the other case (Fig. 6), the parameters of Eq. (2) are $R_{\infty} = 3000$, $R_0 = 40$, and $\lambda = 0.06$, and the power-law $0.045(25 + t)^{2.1}$. In these figures, we also plot the short- and long-time asymptotic behaviours of these functions for comparison. One observes that both approaches lead to similar results that cannot be discriminated given the data accuracy. This is verified by focusing on the mean square deviation

$$\sigma_F = \sqrt{\frac{\sum_{i=1}^K (\log(R^i) - \log(R_F^i))^2}{K}}, \quad (3)$$

where K is the number of data points, R^i the rank from the data set, and R_F^i the value of the fitted function, either exponential ($F = E$) or power law ($F = P$). In the case of *Heaven and Earth*, for instance, these values for the exponential and the power-law fit are very close, $\sigma_E = 0.249$ and $\sigma_P = 0.278$. This equivalence is remarkable, given the long time intervals considered hereby (100 and 200 days). However, one should note the very high value of $t_c = 25$ in Fig. 6 that dominates the power-law decrease over a long time scale, and thereby might mask the extension of the exponential relaxation at long times in the Sornette et al. approach. It is also fair to recognize the large but similar values of the exponent μ .




Fig. 5. We focus on four exogenous shocks of *Get with the program* in (a) log–normal and (b) log–log scale. The solid lines represent the exponential relaxation Eq. (2), with $R_\infty = 1200$, $R_0 = 6$ and $\lambda = 0.16$, and the power-law $0.07(6+t)^{2.2}$. We also plot the short- and long-time asymptotic behaviours of these functions, namely $R = 6e^{0.16t}$ and $R \sim t^{2.2}$.

A comparison of the friction coefficient λ in Figs. 5 and 6 suggests that exogenous and endogenous shocks occur on different time scales $t_R \equiv \lambda^{-1}$. One should stress here that this assertion is different from that by Sornette et al., i.e., a discrimination of shocks can be based on the short-time behaviour of the relaxation process, and not on its tail.

5. Universality behaviours

In order to highlight this observation, we have focused on 111 (56 endo- and 55 exogenous) shocks extracted from the junglescan data, indiscriminating between books and records. The shocks were found by coarse graining the signal over 1 week, and by neglecting relaxations with $\lambda < 0.01$, such that shocks are distinguished




Fig. 6. We focus on the endogenous peak of *Heaven and Earth* by N. Roberts, in (a) log-normal and (b) log-log scale. The solid lines represent the exponential relaxation 2, with $R_\infty = 3000$, $R_0 = 40$ and $\lambda = 0.06$, and the power-law $0.045 (25 + t)^{2.1}$. We also plot the short- and long-time asymptotic behaviours of these functions for comparison, namely $R = 6e^{0.06t}$ and $R \sim t^{-2.1}$.

from quick and large fluctuations. Moreover, we have only considered shocks occurring at least 1 month after the begin of the scans, i.e., in order to reject new products and dumping acts, and whose minimum rank verified $R_0 < 100$. Finally, exogenous and endogenous shocks were visually discriminated by focusing on the pre-shock acceleration.

In order to measure λ , we have looked for the best-fitting exponential in an interval of 15 days after the shock. The resulting cumulated histograms for λ are plotted in Fig. 7. The histograms for the exogenous and endogenous shocks are markedly different. The peak and average probability distribution of λ of the endogenous shocks are well separated from those of the exogenous ones: $\langle \lambda \rangle_{exo} \sim 2 \langle \lambda \rangle_{endo} = 0.14$. This obviously confirms that the initial decay of exogenous and endogenous shocks occurs on different time ranges.




Fig. 7. Cumulated probability of the relaxation coefficient λ in the case of exogenous and endogenous shocks. The vertical lines point to the average values 0.07 (endogenous) and 0.14 (exogenous) that correspond to the characteristic relaxation times $t_R \sim 13$ and 7 days, respectively.

6. Conclusion

We have examined the so-called endogenous and exogenous shocks in music and book sales, measured from their rank in amazon.com. We have focused on some case studies. We have shown that music and book sales quantitatively respond in a same way to a similar “external shock”. In contrast to Sornette et al. [10] who found power-law behaviours and interpreted the finding in terms of an epidemic activity, we have observed that the relaxation can be seen as an exponential that saturates toward an asymptotic state, itself different from the pre-shock state. We have emphasized the non-universal value of t_c and found power-law exponents quite different from Sornette et al., both larger but very similar for the two types of shocks. We prefer to interpret our findings through a simple macroscopic model with agitated herding buyers and a dissipative force. By studying an ensemble of 111 shocks, on books or records, we have shown that exogenous and endogenous shocks are discriminated by their *short-time* behaviour: the relaxation time t_R seems to be twice shorter in exogenous shocks than in endogenous ones. This is a relevant (scientific and economic) result that completes the discrimination procedure of Sornette et al. and should be verified in other fields related to trend emergence, such as opinion formation, financial bubbles, or scientific avalanches, on various networks indicating roads to universality classes.

Acknowledgements

A part of this work results from RL financing through the ARC (02-07/293) and the CREEN (012864) project, which M.A. also thoroughly acknowledges.

References

- [1] H. Nyquist, Phys. Rev. 32 (1928) 110.
- [2] R. Kubo, J. Phys. Soc. Japan 12 (1957) 570.
- [3] G.D’Anna, P. Mayor, A. Barrat, V. Loreto, F. Nori, Nature 424 (2003) 909.
- [4] J.W. Dufty, V. Garzo, J. Stat. Phys. 105 (2001) 723.

- [5] D. Sornette, in: V. Jentsch (Ed.), *Monograph on Extreme Events*, Springer, Berlin, 2005.
- [6] M. Ausloos, P. Clippe, A. Pekalski, *Physica A* 332 (2004) 394.
- [7] L. Adamic, N. Glance, www.blogpulse.com/papers/2005/AdamicGlanceBlogWWW.pdf.
- [8] J. Holyst, K. Kacperski, F. Schweitzer, *Physica A* 285 (2000) 199.
- [9] P. Bak, C. Tang, K. Wiesenfeld, *Phys. Rev. Lett.* 59 (1987) 381.
- [10] D. Sornette, F. Deschatres, T. Gilbert, Y. Ageon, *Phys. Rev. Lett.* 93 (2004) 228701.
- [11] R.D. Groot, Lévy distribution and long correlation times in supermarket sales, eprint arXiv:cond-mat/0412163.